



Table of Contents

VOLUME 95 (1995)

MAIN ARTICLES

EEG monitoring during endovascular embolization of cerebral arteriovenous malformations T. Paiva, J. Campos, E. Baeta, L.B. Gomes, I.P. Martins and E. Parreira (Portugal)	3
Brain electrical source analysis of laser evoked potentials in response to painful trigeminal nerve stimulation B. Bromm and A.C.N. Chen (Germany)	14
K-complex evoked in NREM sleep is accompanied by a slow negative potential related to cognitive process Y. Niiyama, M. Fushimi, A. Sekine and Y. Hishikawa (Japan)	27
Topography of auditory evoked long-latency potentials in normal children, with particular reference to the N1 component I. Tonnquist-Uhlén, E. Borg and K.E. Spens (Sweden)	34
Auditory brain-stem responses and MRI findings in patients with olivo-ponto-cerebellar (Dejerine-Thomas)-type and cerebello-olivary (Holmes)-type spino-cerebellar degeneration T. Tokutake, R. Hayashi and N. Hanyu (Japan)	42
Automatic auditory discrimination is impaired in Parkinson's disease E. Pekkonen, V. Jousmäki, K. Reinikainen and J. Partanen (Finland)	47
Alterations of intrahippocampal cognitive potentials in temporal lobe epilepsy T. Grunwald, C.E. Elger, K. Lehnertz, D. Van Roost and H.J. Heinze (Germany)	53
Effect of unilateral claustral lesion on intermittent light stimulation-induced convulsive response in D,L-allylglycine treated cats T. Kudo and J.A. Wada (Canada)	63
The significance of the phi rhythm P.L. Silbert, K. Radhakrishnan, J. Johnson and D.W. Klass (USA)	71
EEG in successful aging: a 5 year follow-up study from the eighth to ninth decade of life M. Shigeta, P. Julin, O. Almkvist, H. Basun, U. Rudberg and L.-O. Wahlund (Sweden)	77
Parameters of EEG dimensional complexity in Alzheimer's disease C. Besthorn, H. Sattel, C. Geiger-Kabisch, R. Zerfass and H. Förstl (Germany)	84
Delta (0.5–1.5 Hz) and sigma (11.5–15.5 Hz) EEG power dynamics throughout quiet sleep in infants P.Y. Ktonas, I. Fagioli and P. Salzarulo (USA, Italy)	90
Effects of alcohol, at two times of day, on EEG-derived indices of physiological arousal D.J. O'Boyle, F. Van and K.I. Hume (UK)	97
Spatio-temporal dynamics of the primary epileptogenic area in temporal lobe epilepsy characterized by neuronal complexity loss K. Lehnertz and C.E. Elger (Germany)	108
Correlation dimension changes accompanying the occurrence of the mismatch negativity and the P3 event-related potential component M. Molnár, J.E. Skinner, V. Csépe, I. Winkler and G. Karmos (Hungary, USA)	118
Topography of somatosensory evoked magnetic fields following posterior tibial nerve stimulation R. Kakigi, S. Koyama, M. Hoshiyama, M. Shimojo, Y. Kitamura and S. Watanabe (Japan)	127
Multiple-generator errors are unavoidable under model misspecification D.L. Jewett and Z. Zhang (USA)	135
Correlates of sleep latency on the multiple sleep latency test in a clinical population R.D. Chervin, H.C. Kraemer and C. Guilleminault (USA)	147
Role of the hypothalamic hamartoma in the genesis of gelastic fits (a video-stereo-EEG study) C. Munari, P. Kahane, S. Francione, D. Hoffmann, L. Tassi, R. Cusmai, F. Vigeveno, B. Pasquier and O.O. Betti (France, Italy, Argentina)	154
EEG coherence has structure in the millimeter domain: subdural and hippocampal recordings from epileptic patients T.H. Bullock, M.C. McClune, J.Z. Achimowicz, V.J. Iragui-Madoz, R.B. Duckrow and S.S. Spencer (USA, Poland)	161
Interelectrode coherences from nearest-neighbor and spherical harmonic expansion computation of laplacian of scalp potential T.D. Lagerlund, F.W. Sharbrough, N.E. Busacker and K.M. Cicora (USA)	178
Signal-space projections of MEG data characterize both distributed and well-localized neuronal sources C.D. Tesche, M.A. Uusitalo, R.J. Ilmoniemi, M. Huottilainen, M. Kajola and O. Salonen (Finland)	189
Spatio-temporal decomposition of the EEG: a general approach to the isolation and localization of sources Z.J. Koles, J.C. Lind and A.C.K. Soong (Canada)	219
Neuromagnetic source imaging with FOCUSS: a recursive weighted minimum norm algorithm I.F. Gorodnitsky, J.S. George and B.D. Rao (USA)	231



Table of Contents

VOLUME 95 (1995)

MAIN ARTICLES

EEG monitoring during endovascular embolization of cerebral arteriovenous malformations T. Paiva, J. Campos, E. Baeta, L.B. Gomes, I.P. Martins and E. Parreira (Portugal)	3
Brain electrical source analysis of laser evoked potentials in response to painful trigeminal nerve stimulation B. Bromm and A.C.N. Chen (Germany)	14
K-complex evoked in NREM sleep is accompanied by a slow negative potential related to cognitive process Y. Niiyama, M. Fushimi, A. Sekine and Y. Hishikawa (Japan)	27
Topography of auditory evoked long-latency potentials in normal children, with particular reference to the N1 component I. Tonnquist-Uhlén, E. Borg and K.E. Spens (Sweden)	34
Auditory brain-stem responses and MRI findings in patients with olivo-ponto-cerebellar (Dejerine-Thomas)-type and cerebello-olivary (Holmes)-type spino-cerebellar degeneration T. Tokutake, R. Hayashi and N. Hanyu (Japan)	42
Automatic auditory discrimination is impaired in Parkinson's disease E. Pekkonen, V. Jousmäki, K. Reinikainen and J. Partanen (Finland)	47
Alterations of intrahippocampal cognitive potentials in temporal lobe epilepsy T. Grunwald, C.E. Elger, K. Lehnertz, D. Van Roost and H.J. Heinze (Germany)	53
Effect of unilateral claustral lesion on intermittent light stimulation-induced convulsive response in D,L-allylglycine treated cats T. Kudo and J.A. Wada (Canada)	63
The significance of the phi rhythm P.L. Silbert, K. Radhakrishnan, J. Johnson and D.W. Klass (USA)	71
EEG in successful aging: a 5 year follow-up study from the eighth to ninth decade of life M. Shigeta, P. Julin, O. Almkvist, H. Basun, U. Rudberg and L.-O. Wahlund (Sweden)	77
Parameters of EEG dimensional complexity in Alzheimer's disease C. Besthorn, H. Sattel, C. Geiger-Kabisch, R. Zerfass and H. Förstl (Germany)	84
Delta (0.5–1.5 Hz) and sigma (11.5–15.5 Hz) EEG power dynamics throughout quiet sleep in infants P.Y. Ktonas, I. Fagioli and P. Salzarulo (USA, Italy)	90
Effects of alcohol, at two times of day, on EEG-derived indices of physiological arousal D.J. O'Boyle, F. Van and K.I. Hume (UK)	97
Spatio-temporal dynamics of the primary epileptogenic area in temporal lobe epilepsy characterized by neuronal complexity loss K. Lehnertz and C.E. Elger (Germany)	108
Correlation dimension changes accompanying the occurrence of the mismatch negativity and the P3 event-related potential component M. Molnár, J.E. Skinner, V. Csépe, I. Winkler and G. Karmos (Hungary, USA)	118
Topography of somatosensory evoked magnetic fields following posterior tibial nerve stimulation R. Kakigi, S. Koyama, M. Hoshiyama, M. Shimojo, Y. Kitamura and S. Watanabe (Japan)	127
Multiple-generator errors are unavoidable under model misspecification D.L. Jewett and Z. Zhang (USA)	135
Correlates of sleep latency on the multiple sleep latency test in a clinical population R.D. Chervin, H.C. Kraemer and C. Guilleminault (USA)	147
Role of the hypothalamic hamartoma in the genesis of gelastic fits (a video-stereo-EEG study) C. Munari, P. Kahane, S. Francione, D. Hoffmann, L. Tassi, R. Cusmai, F. Vigeveno, B. Pasquier and O.O. Betti (France, Italy, Argentina)	154
EEG coherence has structure in the millimeter domain: subdural and hippocampal recordings from epileptic patients T.H. Bullock, M.C. McClune, J.Z. Achimowicz, V.J. Iragui-Madoz, R.B. Duckrow and S.S. Spencer (USA, Poland)	161
Interelectrode coherences from nearest-neighbor and spherical harmonic expansion computation of laplacian of scalp potential T.D. Lagerlund, F.W. Sharbrough, N.E. Busacker and K.M. Cicora (USA)	178
Signal-space projections of MEG data characterize both distributed and well-localized neuronal sources C.D. Tesche, M.A. Uusitalo, R.J. Ilmoniemi, M. Huottilainen, M. Kajola and O. Salonen (Finland)	189
Spatio-temporal decomposition of the EEG: a general approach to the isolation and localization of sources Z.J. Koles, J.C. Lind and A.C.K. Soong (Canada)	219
Neuromagnetic source imaging with FOCUSS: a recursive weighted minimum norm algorithm I.F. Gorodnitsky, J.S. George and B.D. Rao (USA)	231

The complementary relationship between waking and REM sleep in the oculomotor system: an increase of rightward saccades during waking causes a decrease of rightward eye movements during REM sleep L. De Gennaro, M. Casagrande, C. Violani, M. Di Giovanni, J. Herman and M. Bertini (Italy, USA)	252
Electroclinical significance of rolandic spikes and dipoles in neurodevelopmentally normal children S. Legarda and P. Jayakar (USA)	257
Incidence of photosensitive epilepsy: a prospective national study J.A. Quirk, D.R. Fish, S.J.M. Smith, J.W.A.S. Sander, S.D. Shorvon and P.J. Allen (UK)	260
Intracerebral recordings of slow potentials in a contingent negative variation paradigm: an exploration in epileptic patients M. Lamarche, J. Louvel, P. Buser and I. Rektor (France)	268
ERP signs of early selective attention effects to check size A. Zani and A.M. Proverbio (Italy)	277
Olfactory event-related potentials in normal human subjects: effects of age and gender W.J. Evans, L. Cui and A. Starr (USA)	293
Investigation of EEG non-linearity in dementia and Parkinson's disease C.J. Stam, B. Jelles, H.A.M. Achtereekte, S.A.R.B. Rombouts, J.P.J. Slaets and R.W.M. Keunen (The Netherlands)	309
Slow wave electroencephalic activity parallels renin oscillations during sleep in humans R. Luthringer, G. Brandenberger, N. Schaltenbrand, G. Muller, K. Spiegel, J.P. Macher, A. Muzet and M. Follénus (France)	318
Movement-related potentials associated with bilateral simultaneous and unilateral movements recorded from human supplementary motor area A. Ikeda, H.O. Lüders, H. Shibasaki, T.F. Collura, R.C. Burgess, H.H. Morris, III and T. Hamano (Japan, USA)	323
Movement-related cortical potentials associated with voluntary muscle relaxation K. Terada, A. Ikeda, T. Nagamine and H. Shibasaki (Japan)	335
Contingent negative variation and movement-related cortical potentials in parkinsonism M. Oishi, Y. Mochizuki, C. Du and T. Takasu (Japan)	346
Movement-related cortical potentials in persistent mirror movements M. Mayer, K. Bötzel, W. Paulus, H. Plendl, D. Pröckl and A. Danek (Germany)	350
Pharmacologically induced changes in arousal: effects on behavioral and electrophysiologic measures of alertness and attention B.S. Oken, S.S. Kishiyama and M.C. Salinsky (USA)	359
Comparison of Z and multivariate statistical brain electromagnetic maps for the localization of brain lesions A. Fernández-Bouzas, T. Harmony, L. Galán, E. Marosi, T. Fernández, A. Reyes, J. Silva, M. Rodríguez, J. Bernal and M. Alonso (Mexico, Cuba)	372
Improved forward EEG calculations using local mesh refinement of realistic head geometries B. Yvert, O. Bertrand, J.F. Echallier and J. Pernier (France)	381
The EEG in acallosal children. Coherence values in the resting state: left hemisphere compensatory mechanism? T. Koeda, M. Knyazeva, C. Njokiktjen, E.J. Jonkman, L. De Sonnevile and V. Vildavsky (Japan, Russia, The Netherlands)	397
Estimation of gestational maturity of preterm infants by five fetal sonographic measurements compared with neonatal EEG and the last menstrual period M.S. Scher, S. Sinha, J. Martin and D.A. Steppe (USA)	408
Dynamics of slow wave activity in narcoleptic patients under bed rest conditions L. Nobili, A. Besset, F. Ferrillo, G. Rosadini, G. Schiavi and M. Billiard (Italy, France)	414
Longitudinal quantitative EEG study of children with different performances on a reading-writing test T. Harmony, E. Marosi, J. Becker, M. Rodríguez, A. Reyes, T. Fernández, J. Silva and J. Bernal (Mexico)	426
Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball tasks" K.P. Ebmeier, J.D. Steele, D.M. MacKenzie, R.E. O'Carroll, R.R. Kydd, M.F. Glabus, D.H.R. Blackwood, M.D. Rugg and G.M. Goodwin (UK, New Zealand)	434
Bilateral activation of the human somatomotor cortex by distal hand movements R. Salmelin, N. Forss, J. Knuutila and R. Hari (Finland)	444
Reactivity of magnetic parieto-occipital alpha rhythm during visual imagery S. Salenius, M. Kajola, W.L. Thompson, S. Kosslyn and R. Hari (Finland, USA)	453
Pain-related somatosensory evoked magnetic fields Y. Kitamura, R. Kakigi, M. Hoshiyama, S. Koyama, M. Shimojo and S. Watanabe (Japan)	463

SHORT COMMUNICATIONS

Frontal inhibitory spike component associated with epileptic negative myoclonus G. Rubboli, L. Parmeggiani and C.A. Tassinari (Italy)	201
Interrater reliability of the multiple sleep latency test S.R. Benbadis, Y. Qu, M.C. Perry, D.S. Dinner and H. Warnes (USA)	302
Dynamic spectral analysis of event-related EEG data G. Florian and G. Pfurtscheller (Austria)	393

TECHNICAL NOTE

The effects of time point alignment on the amplitude of averaged orbital presaccadic spike potential (SP) Y. Shan, M.L. Moster and R.A. Roemer (USA)	475
---	-----

BOOK REVIEWS

Status epilepticus by S. Shorvon	69
Brain control of responses to trauma edited by N.J. Rothwell and F. Berkenbosch	143
Neuro-ophthalmological disorders: diagnostic work-up and management edited by R.J. Tusa and S.A. Newman	143
Electrophysiology of the neuron by J. Huguenard and D.A. McCormick	143
Neurobiology, 3rd edition by G.M. Shepherd	144
The molecular and genetic basis of neurological disease edited by R.N. Rosenberg, S.B. Prusiner, S. Di Mauro, R.L. Barchi and L.M. Kunkel	144
Idiopathic generalized epilepsies edited by A. Malafosse, P. Genton, E. Hirsch, C. Marescaux, D. Broglin and R. Bernasconi	144
Epileptic seizures and syndromes edited by P. Wolf	145
Epilepsy and the functional anatomy of the frontal lobe. Advances of neurology, Vol. 66 edited by H.H. Jasper, S. Riggio and P.S. Goldman-Rakic	145
Handbook of spinal cord monitoring edited by S.J. Jones, S. Boyd, M. Hetreed and N.J. Smith	217
Musculoskeletal disorders: a practical guide for diagnosis and rehabilitation edited by R.M. Buschbacher	217
Human brain anatomy in computerized images by H. Damasio	305
Clinical neurophysiology. Vol. 1. EMG, nerve conduction and evoked potentials edited by J.W. Osselton	305
Nonsynaptic diffusion, neurotransmission and late brain reorganization by P. Bach-y-Rita	306
Neurological complications of pregnancy. Advances in neurology, Vol. 64 edited by O. Devinsky, E. Feldmann and B. Hainline	306
Handbook of autonomic nervous system dysfunction edited by A.D. Korczyn	307
Brain slices in basic and clinical research edited by A. Schurr and B.M. Rigor	307
Occupational neurology and clinical neurotoxicology edited by M.L. Bleeker and J.L. Hanson	307
Companion to clinical neurology by W. Pryse-Phillips	478
Chronic fatigue syndrome edited by D.M. Dawson and T.D. Sabin	478
The epilepsy handbook: the practical management of seizures, 2nd edition by R.J. Gummit	479
Memory, amnesia, and the hippocampal system by N.J. Cohen and H. Eichenbaum	479
Merritt's textbook of neurology, 9th edition edited by L.P. Roland	480
The epilepsy diet treatment: an introduction to the ketogenic diet by J.M. Freeman, M.T. Kelly and J.B. Freeman	480
<i>Society Proceedings</i>	1P, 4P, 9P, 12P, 15P, 43P, 76P, 83P, 86P, 95P, 98P, 101P, 108P, 111P
<i>Letters from the European Editorial Office</i>	1
<i>IFCN Proceedings of the General Assembly, Vancouver</i>	206
<i>Publisher's Announcement</i>	14P, 42P
<i>Errata</i>	481
<i>Acknowledgements</i>	483
<i>Index of Authors to Volume 95 (1995)</i>	485
<i>Index of Subjects to Volume 95 (1995)</i>	489
<i>Table of Contents to Volume 95 (1995)</i>	494

